

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/647,335</u>	Examiner : <u>JOHNSON</u>	GAU : <u>1725</u>
From: <u>M. DONATO</u>	Location: <u>IDC</u> FMF FDC	Date: <u>01/05/06</u>
Tracking #: <u>EPM10647335</u>		Week Date: <u>10/03/05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>7/18/05</u>	

[RUSH] MESSAGE: _____

PLEASE VERIFY THE PLACEMENT OF AMENDMENTS TO
THE SPECIFICATION FOR "BRIEF DESCRIPTION OF THE
DRAWINGS" AND FOR "DETAILED DESCRIPTION OF THE
INVENTION".

THANK YOU.

[XRUSH] RESPONSE: The attached Examiner's amendment corrects the
placement of the "Brief Description of the Drawings", the "Detailed
Description of the Invention."

INITIALS: CAJ

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04